



## **New** - Nano-XRZ Compound Target Shaft



Nano-XRZ featuring Tri-Spine technology which combines stiffer ends with a softer spine center for ultimate accuracy out of a compound bow.

Like the Nano-SST for recurve archers this new Nano-XRZ is constructed from 30-Ton carbon that ensures faster recovery out of the bow and superior down range performance.

**Features:**

**360 consistent spine and spine select in each doz.**

**Straightness; +/- .0025"**

**Weight Tolerance: +/- 2 grains.**

**Inside diameter: .166"**



## **New** - Nano-XRZ Compound Target Shaft

### Shaft specifications:

<b>Model</b>	<b>Description</b>	<b>Size</b>	<b>Grain Inch</b>	<b>Arrow Length</b>	<b>Spine</b>	<b>ID Dia</b>	<b>OD Dia</b>
<b>51611</b>	Nano-XRZ 800 Shafts 12 pk	800	5.7	31"	0.800"	.166"	0.216"
<b>51610</b>	Nano-XRZ 700 Shafts 12 pk	700	6.3	31"	0.700"	.166"	0.221"
<b>51609</b>	Nano-XRZ 600 Shafts 12 pk	600	7.0	31"	0.600"	.166"	0.225"
<b>51608</b>	Nano-XRZ 500 Shafts 12 pk	500	7.8	32.5"	0.500"	.166"	0.230"
<b>51607</b>	Nano-XRZ 400 Shafts 12 pk	400	9.0	32.5"	0.400"	.166"	0.238"
<b>51606</b>	Nano-XRZ 350 Shafts 12 pk	350	9.9	32.5"	0.350"	.166"	0.244"



# New - Nano-XRZ Compound Target Shaft

## Components:



Model	Description	Shaft size
55930	PIN POINT .166 #1 120-100gr - 12PK	350 - 400
55928	PIN POINT .166 #2 110-90gr - 12PK	500 - 600
55929	PIN POINT .166 #3 100-80gr - 12PK	700-- 800
50153	PIN NOCK ADAPTER .166 #1 - 12PK	500 - 600
50154	PIN NOCK ADAPTER .166 #2 - 12PK	700 - 800
50187	PIN NOCK ADAPTER .166 #3 - 12PK	350 - 400